

$$x = (R-r) \cos \frac{rt}{R} + c \cos \frac{(R-r)t}{R}, y = (R-r) \sin \frac{rt}{R} - c \sin \frac{(R-r)t}{R}, t \in \mathbb{R}.$$

$$x = (R-r) \cos \varphi + c \cos \frac{(R-r)\varphi}{r}, y = (R-r) \sin \varphi - c \sin \frac{(R-r)\varphi}{r}, \varphi \in \mathbb{R}.$$

$$x = \frac{(1-\sqrt{11})r}{\sqrt{11}} \cos \sqrt{11}t + 5r \cos(\sqrt{11}-1)t$$

$$y = \frac{(1-\sqrt{11})r}{\sqrt{11}} \sin \sqrt{11}t + 5r \sin(\sqrt{11}-1)t$$

$$t \in \langle 0; 6.2\pi \rangle$$

$$R = \frac{r}{\sqrt{11}}, c = 5r$$

$$x = \frac{(1-\sqrt{11})r}{\sqrt{11}} \cos \varphi + 5r \cos \frac{(\sqrt{11}-1)\varphi}{\sqrt{11}}$$

$$y = \frac{(1-\sqrt{11})r}{\sqrt{11}} \sin \varphi + 5r \sin \frac{(\sqrt{11}-1)\varphi}{\sqrt{11}}$$

$$\varphi \in \langle 0; 20.5631\pi \rangle$$