

Epicykloida – predĺžená

$c > r > 0, R > 0$

$$x = (R+r) \cos \frac{rt}{R} - c \cos \frac{(R+r)t}{R}, \quad y = (R+r) \sin \frac{rt}{R} - c \sin \frac{(R+r)t}{R}, \quad t \in R.$$

$$x = (R+r) \cos \varphi - c \cos \frac{(R+r)\varphi}{r}, \quad y = (R+r) \sin \varphi - c \sin \frac{(R+r)\varphi}{r}, \quad \varphi \in R.$$

$$x = \frac{12r}{7} \cos \frac{7t}{5} - \frac{3r}{2} \cos \frac{12t}{5}, \quad y = \frac{12r}{7} \sin \frac{7t}{5} - \frac{3r}{2} \sin \frac{12t}{5} \quad x = \frac{12r}{7} \cos \varphi - \frac{3r}{2} \cos \frac{12\varphi}{7}, \quad y = \frac{12r}{7} \sin \varphi - \frac{3r}{2} \sin \frac{12\varphi}{7}$$

$t \in \langle 0; 10\pi \rangle$ $\varphi \in \langle 0; 14\pi \rangle$

$$R = \frac{5r}{7}, \quad c = \frac{3r}{2}$$