

Hypocykloida – predĺžená hypocykloida $c > r > 0, R > 0$

$$x = (R-r) \cos \frac{rt}{R} + c \cos \frac{(R-r)t}{R}, \quad y = (R-r) \sin \frac{rt}{R} - c \sin \frac{(R-r)t}{R}, \quad t \in R.$$

$$x = (R-r) \cos \varphi + c \cos \frac{(R-r)\varphi}{r}, \quad y = (R-r) \sin \varphi - c \sin \frac{(R-r)\varphi}{r}, \quad \varphi \in R.$$

$$\begin{aligned}x &= (\pi-1)r \cos \frac{t}{\pi} + \frac{5r}{4} \cos \frac{(\pi-1)t}{\pi} \\y &= (\pi-1)r \sin \frac{t}{\pi} - \frac{5r}{4} \sin \frac{(\pi-1)t}{\pi} \\t &\in \langle 0; 19.4779\pi \rangle\end{aligned}$$

$$\begin{aligned}x &= (\pi-1)r \cos \varphi + \frac{5r}{4} \cos (\pi-1)\varphi \\y &= (\pi-1)r \sin \varphi - \frac{5r}{4} \sin (\pi-1)\varphi \\\varphi &\in \langle 0; 6.2\pi \rangle\end{aligned}$$

$$R = \pi r, \quad c = \frac{5r}{4}$$