

$$x = (R-r) \cos \frac{rt}{R} + c \cos \frac{(R-r)t}{R}, \quad y = (R-r) \sin \frac{rt}{R} - c \sin \frac{(R-r)t}{R}, \quad t \in R.$$

$$x = (R-r) \cos \varphi + c \cos \frac{(R-r)\varphi}{r}, \quad y = (R-r) \sin \varphi - c \sin \frac{(R-r)\varphi}{r}, \quad \varphi \in R.$$

$$x = (\sqrt{3}-1)r \cos \frac{t}{\sqrt{3}} + \frac{3r}{4} \cos \frac{(\sqrt{3}-1)t}{\sqrt{3}}$$

$$y = (\sqrt{3}-1)r \sin \frac{t}{\sqrt{3}} - \frac{3r}{4} \sin \frac{(\sqrt{3}-1)t}{\sqrt{3}}$$

$$t \in \langle 0; 10.7387\pi \rangle$$

$$R = \sqrt{3}r, \quad c = \frac{3r}{4}$$

$$x = (\sqrt{3}-1)r \cos \varphi + \frac{3r}{4} \cos (\sqrt{3}-1)\varphi$$

$$y = (\sqrt{3}-1)r \sin \varphi - \frac{3r}{4} \sin (\sqrt{3}-1)\varphi$$

$$\varphi \in \langle 0; 6.2\pi \rangle$$